City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
20-APR-01	FRIDAY	1_Hr_COMP	1110	Specific Conductance		9300	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1110	pH		6.9	pH
20-APR-01	FRIDAY	1_Hr_COMP	1310	Specific Conductance		7200	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1310	pH		7.7	pH
20-APR-01	FRIDAY	1_Hr_COMP	1410	Specific Conductance		6100	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1410	pH		8	pH
20-APR-01	FRIDAY	1_Hr_COMP	1510	Specific Conductance		4600	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1510	pH		7.8	pH
20-APR-01	FRIDAY	1_Hr_COMP	1610	Specific Conductance		2700	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1610	pH		7.7	pH
20-APR-01	FRIDAY	1_Hr_COMP	1710	Specific Conductance		2500	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1710	pH		7.4	pH
20-APR-01	FRIDAY	1_Hr_COMP	1810	Specific Conductance		2500	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1810	pH		7.6	pH
20-APR-01	FRIDAY	1_Hr_COMP	1910	Specific Conductance		2500	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1910	pH		7.6	pH
20-APR-01	FRIDAY	1_Hr_COMP	2010	Specific Conductance		2700	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	2010	pH		7.8	pH
20-APR-01	FRIDAY	1_Hr_COMP	2110	Specific Conductance		4100	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	2110	pH		7.9	pH
20-APR-01	FRIDAY	1_Hr_COMP	2210	Specific Conductance		3800	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	2210	pH		8.2	pH
20-APR-01	FRIDAY	1_Hr_COMP	2310	Specific Conductance		4500	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	2310	pH		8.5	pH
21-APR-01	SATURDAY	1_Hr_COMP	10	Specific Conductance		2600	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	10	pH		8.3	pH
21-APR-01	SATURDAY	1_Hr_COMP	110	Specific Conductance		1200	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	110	pH		7.9	pH
21-APR-01	SATURDAY	1_Hr_COMP	210	Specific Conductance		1800	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	210	pH		7.6	pH
21-APR-01	SATURDAY	1_Hr_COMP	310	Specific Conductance		1400	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	310	pH		7.6	pH
21-APR-01	SATURDAY	1_Hr_COMP	410	Specific Conductance		2300	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	410	pH		7.6	pH
21-APR-01	SATURDAY	COMP_AUTO_BOD	1010	Biochemical Oxygen Demand (BOD)		345	mg/L
21-APR-01	SATURDAY	COMP_AUTO_CN	1010	Total Cyanide	<	.02	mg/L
21-APR-01	SATURDAY	COMP_AUTO_COD	1010	Chemical Oxygen Demand		895	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Aluminum		6.71	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Antimony	<	.015	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Arsenic		.007	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Barium		.192	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Beryllium	<	.006	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Cadmium	<	.009	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Chromium		.038	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Copper		.205	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Lead		.065	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Manganese		.145	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Mercury	<	.002	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Nickel		.041	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Selenium		.004	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Silver		.01	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Thallium	<	.001	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1010	Zinc		.401	mg/L
21-APR-01	SATURDAY	COMP_AUTO_IC50	1010	Microtox		9.58	%Sample
21-APR-01	SATURDAY	COMP_AUTO_MBAS	1010	Methylene Blue Active Substances		12.9	mg/L
21-APR-01	SATURDAY	COMP_AUTO_NH3	1010	Ammonia as (N)		36.8	mg/L
21-APR-01	SATURDAY	COMP_AUTO_SOLID	1010	Total Suspended Solids		788	mg/L
21-APR-01	SATURDAY	COMP_CONDUCT	1125	Specific Conductance		3500	umhos/cm
21-APR-01	SATURDAY	COMP_PH	1125	pH		7.9	pH
21-APR-01	SATURDAY	GRAB_OG	1125	Hexane Extraction Method		99.6	mg/L
21-APR-01	SATURDAY	GRAB_OG	1125	SGT-HEM-Non Polar Material		6.4	mg/L
21-APR-01	SATURDAY	GRAB_PEST	1125	Chlorpyrifos		.28	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1125	Demeton-O	<	.09	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1125	Demeton-S	<	.05	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1125	Diazinon		.47	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1125	Guthion	<	.21	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1125	Malathion		.072	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1125	Parathion	<	.03	ug/L
28-APR-01	SATURDAY	1_Hr_COMP	900	Specific Conductance		13700	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	900	pH		9.9	pH
28-APR-01	SATURDAY	1_Hr_COMP	1000	Specific Conductance		6700	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1000	pH		8.6	pH
28-APR-01	SATURDAY	1_Hr_COMP	1100	Specific Conductance		5900	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1100	pH		9	pH
28-APR-01	SATURDAY	1_Hr_COMP	1200	Specific Conductance		3900	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1200	pH		9.1	pH
28-APR-01	SATURDAY	1_Hr_COMP	1300	Specific Conductance		2900	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1300	pH		8.1	pH
28-APR-01	SATURDAY	1_Hr_COMP	1400	Specific Conductance		3000	umhos/cm

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
28-APR-01	SATURDAY	1_Hr_COMP	1400	pH		8.1	pH
28-APR-01	SATURDAY	1_Hr_COMP	1500	Specific Conductance		3000	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1500	pH		8	pH
28-APR-01	SATURDAY	1_Hr_COMP	1600	Specific Conductance		3200	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1600	pH		8	pH
28-APR-01	SATURDAY	1_Hr_COMP	1700	Specific Conductance		3600	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1700	pH		8	pH
28-APR-01	SATURDAY	1_Hr_COMP	1800	Specific Conductance		3800	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1800	pH		4.7	pH
28-APR-01	SATURDAY	1_Hr_COMP	1900	Specific Conductance		3800	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	1900	pH		4.1	pH
28-APR-01	SATURDAY	1_Hr_COMP	2000	Specific Conductance		2900	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	2000	pH		4.1	pH
28-APR-01	SATURDAY	1_Hr_COMP	2100	Specific Conductance		2400	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	2100	pH		4.2	pH
28-APR-01	SATURDAY	1_Hr_COMP	2200	Specific Conductance		2300	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	2200	pH		4.4	pH
28-APR-01	SATURDAY	1_Hr_COMP	2300	Specific Conductance		17000	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	2300	pH		8.9	pH
28-APR-01	SATURDAY	1_Hr_COMP	2400	Specific Conductance		21000	umhos/cm
28-APR-01	SATURDAY	1_Hr_COMP	2400	pH		9.7	pH
29-APR-01	SUNDAY	1_Hr_COMP	100	Specific Conductance		4300	umhos/cm
29-APR-01	SUNDAY	1_Hr_COMP	100	pH		8.8	pH
29-APR-01	SUNDAY	1_Hr_COMP	200	Specific Conductance		3200	umhos/cm
29-APR-01	SUNDAY	1_Hr_COMP	200	pH		8.6	pH
29-APR-01	SUNDAY	1_Hr_COMP	300	Specific Conductance		4200	umhos/cm
29-APR-01	SUNDAY	1_Hr_COMP	300	pH		7.8	pH
29-APR-01	SUNDAY	1_Hr_COMP	400	Specific Conductance		2500	umhos/cm
29-APR-01	SUNDAY	1_Hr_COMP	400	pH		7.7	pH
29-APR-01	SUNDAY	1_Hr_COMP	500	Specific Conductance		3700	umhos/cm
29-APR-01	SUNDAY	1_Hr_COMP	500	pH		7.8	pH
29-APR-01	SUNDAY	1_Hr_COMP	600	Specific Conductance		3000	umhos/cm
29-APR-01	SUNDAY	1_Hr_COMP	600	pH		8	pH
29-APR-01	SUNDAY	1_Hr_COMP	700	Specific Conductance		2700	umhos/cm
29-APR-01	SUNDAY	1_Hr_COMP	700	pH		7.9	pH
29-APR-01	SUNDAY	1_Hr_COMP	800	Specific Conductance		2100	umhos/cm
29-APR-01	SUNDAY	1_Hr_COMP	800	pH		7.9	pH
29-APR-01	SUNDAY	COMP_AUTO_BOD	1150	Biochemical Oxygen Demand (BOD)		161	mg/L
29-APR-01	SUNDAY	COMP_AUTO_CN	1150	Total Cyanide		.126	mg/L
29-APR-01	SUNDAY	COMP_AUTO_COD	1150	Chemical Oxygen Demand		506	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Aluminum		30.7	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Antimony		.205	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Arsenic		.033	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Barium		.198	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Beryllium	<	.006	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Cadmium	<	.009	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Chromium		.674	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Copper		.654	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Lead		1.56	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Manganese		.14	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Mercury	<	.002	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Nickel		1.62	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Selenium		.015	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Silver	<	.006	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Thallium	<	.001	mg/L
29-APR-01	SUNDAY	COMP_AUTO_HM	1150	Zinc		.684	mg/L
29-APR-01	SUNDAY	COMP_AUTO_IC50	1150	Microtox	>	45	%Sample
29-APR-01	SUNDAY	COMP_AUTO_MBAS	1150	Methylene Blue Active Substances		3.5	mg/L
29-APR-01	SUNDAY	COMP_AUTO_NH3	1150	Ammonia as (N)		27.7	mg/L
29-APR-01	SUNDAY	COMP_AUTO_SOLID	1150	Total Suspended Solids		436	mg/L
29-APR-01	SUNDAY	COMP_CONDUCT	1150	Specific Conductance		5600	umhos/cm
29-APR-01	SUNDAY	COMP_PH	1150	pH		7.6	pH
29-APR-01	SUNDAY	GRAB	1155	Specific Conductance		2300	umhos/cm
29-APR-01	SUNDAY	GRAB	1155	pH		7.8	pH
29-APR-01	SUNDAY	GRAB_OG	1155	Hexane Extraction Method		23.2	mg/L
29-APR-01	SUNDAY	GRAB_OG	1155	SGT-HEM-Non Polar Material	<	5	mg/L
29-APR-01	SUNDAY	GRAB_PEST	1155	Chlorpyrifos	<	.05	ug/L
29-APR-01	SUNDAY	GRAB_PEST	1155	Demeton-O	<	.09	ug/L
29-APR-01	SUNDAY	GRAB_PEST	1155	Demeton-S	<	.05	ug/L
29-APR-01	SUNDAY	GRAB_PEST	1155	Diazinon	<	.07	ug/L
29-APR-01	SUNDAY	GRAB_PEST	1155	Guthion	<	.21	ug/L
29-APR-01	SUNDAY	GRAB_PEST	1155	Malathion	<	.04	ug/L
29-APR-01	SUNDAY	GRAB_PEST	1155	Parathion	<	.03	ug/L
07-MAY-01	MONDAY	COMP_AUTO_BOD	1140	Biochemical Oxygen Demand (BOD)		432	mg/L
07-MAY-01	MONDAY	COMP_AUTO_CN	1140	Total Cyanide		.026	mg/L
07-MAY-01	MONDAY	COMP_AUTO_COD	1140	Chemical Oxygen Demand		1430	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Aluminum		1.78	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Antimony	<	.015	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Arsenic		.004	mg/L

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Barium		.16	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Beryllium	<	.006	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Cadmium	<	.009	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Chromium		2.41	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Copper		1.75	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Lead		.354	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Manganese		.249	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Mercury		.002	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Nickel		.899	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Selenium		.071	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Silver	<	.006	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Thallium		.001	mg/L
07-MAY-01	MONDAY	COMP_AUTO_HM	1140	Zinc		1.16	mg/L
07-MAY-01	MONDAY	COMP_AUTO_IC50	1140	Microtox		9.15	%Sample
07-MAY-01	MONDAY	COMP_AUTO_MBAS	1140	Methylene Blue Active Substances		12.4	mg/L
07-MAY-01	MONDAY	COMP_AUTO_NH3	1140	Ammonia as (N)		37.4	mg/L
07-MAY-01	MONDAY	COMP_AUTO_SOLID	1140	Total Suspended Solids		292	mg/L
07-MAY-01	MONDAY	GRAB	1145	Specific Conductance		2900	umhos/cm
07-MAY-01	MONDAY	GRAB	1145	pH		9	pH
07-MAY-01	MONDAY	GRAB_BNA	1145	1,2,4-trichlorobenzene	<	11.1	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	1,2-diphenylhydrazine	<	8.45	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2,4,6-trichlorophenol	<	8.87	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2,4-dimethylphenol	<	11	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2,4-dinitrophenol	<	8.98	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2,4-dinitrotoluene	<	6	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2,4_dichlorophenol	<	9.32	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2,6-dinitrotoluene	<	6.97	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2-chloronaphthalene	<	7.64	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2-chlorophenol	<	5	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	2-nitrophenol	<	9.22	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	3,3-dichlorobenzidine	<	9.99	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	4-bromophenyl phenyl ether	<	6.04	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	4-chloro-3-methylphenol	<	7.16	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	4-chlorophenyl phenyl ether	<	4.99	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	4-nitrophenol	<	4.9	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Acenaphthene	<	5.45	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Acenaphthylene	<	8.34	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Anthracene	<	7.16	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Benzidine	<	6.17	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Benzo(A)anthracene	<	5.2	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Benzo(A)pyrene	<	7.69	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Benzo(G,H,I)perylene	<	5.22	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Benzo(K)fluoranthene	<	7.9	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Benzo(b)fluoroanthene	<	6.98	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Bis-(2-ethylhexyl) phthalate		22.3	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Butyl benzyl phthalate		8.17	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Chrysene	<	4.04	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Di-n-Butyl phthalate	<	5.89	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Di-n-Octyl phthalate		10.9	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Dibenzo (A,H) Anthracene	<	7.66	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Diethyl Phthalate	<	4.66	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Dimethyl Phthalate	<	4.64	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Fluoranthene	<	4.68	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Fluorene	<	4.04	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Hexachlorobenzene	<	6.89	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Hexachlorobutadiene	<	9.17	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Hexachlorocyclopentadiene	<	8.87	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Hexachloroethane	<	5.27	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Isophorone		16.5	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	N-nitrosodi-n-propylamine	<	8.67	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	N-nitrosodimethylamine	<	5.4	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	N-nitrosodiphenylamine	<	5.01	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Naphthalene	<	7.47	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Nitrobenzene	<	7.92	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Pentachlorophenol	<	2.73	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Phenanthrene	<	4.76	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Phenol	<	2.43	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	Pyrene	<	4.86	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	bis(2-chloroethoxy)methane	<	10.4	ug/L
07-MAY-01	MONDAY	GRAB_BNA	1145	bis(2-chloroethyl) ether	<	6.41	ug/L
07-MAY-01	MONDAY	GRAB_OG	1145	Hexane Extraction Method		56.9	mg/L
07-MAY-01	MONDAY	GRAB_OG	1145	SGT-HEM-Non Polar Material		9.6	mg/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Aldrin	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Alpha Endosulfan	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	BHC, Alpha	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	BHC, Beta	<	.1	ug/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
07-MAY-01	MONDAY	GRAB_PEST	1145	BHC, Delta	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	BHC, Gamma (Lindane)	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Beta Endosulfan	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Chlorpyrifos		.096	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Demeton-O	<	.09	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Demeton-S	<	.05	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Diazinon	<	.07	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Dieldrin	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Endosulfan Sulfate	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Endrin	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Endrin aldehyde	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Guthion	<	.21	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Heptachlor	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Heptachlor epoxide	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Malathion	<	.04	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	PCB 1016	<	.5	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	PCB 1221	<	.5	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	PCB 1232	<	.5	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	PCB 1242	<	.5	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	PCB 1248	<	.5	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	PCB 1254	<	.5	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	PCB 1260	<	.5	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	PCB-1262	<	.5	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	Parathion	<	.03	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	p,p-DDD	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	p,p-DDE	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_PEST	1145	p,p-DDT	<	.1	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,1,1-trichloroethane	<	1.03	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,1,2,2-tetrachloroethane	<	.91	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,1,2-trichloroethane	<	.82	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,1-dichloroethane	<	.36	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,1-dichloroethene	<	.59	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,2-dichlorobenzene	<	1.14	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,2-dichloroethane	<	.61	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,2-dichloropropane	<	.83	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,3-dichlorobenzene	<	.92	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	1,4-dichlorobenzene		8.62	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	2-chloroethylvinyl ether	<	3.03	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Benzene	<	.92	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Bromodichloromethane		10.8	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Bromoform	<	.9	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Bromomethane	<	.85	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Carbon tetrachloride	<	1.1	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Chlorobenzene	<	1.08	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Chloroethane	<	1.29	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Chloroform		29.9	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Chloromethane	<	.47	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Dibromochloromethane		8.86	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Ethylbenzene	<	.85	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Methylene chloride	<	.69	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Tetrachloroethene	<	1.25	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Toluene		50.9	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Trichloroethene	<	1.13	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Trichlorofluoromethane	<	.82	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	Vinyl chloride	<	.25	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	cis-1,3-dichloropropene	<	.62	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	trans-1,2-dichloroethene	<	1	ug/L
07-MAY-01	MONDAY	GRAB_VOC	1145	trans-1,3-dichloropropene	<	.67	ug/L
15-MAY-01	TUESDAY	COMP_AUTO_BOD	1145	Biochemical Oxygen Demand (BOD)		251	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_CN	1145	Cyanide (Amenable to chlorination)		.545	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_CN	1145	Total Cyanide		.715	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_COD	1145	Chemical Oxygen Demand		642	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Aluminum		.69	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Antimony		.089	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Arsenic		.035	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Barium		.155	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Cadmium	<	.009	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Chromium		1.11	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Copper		2.33	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Lead		.583	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Manganese		.129	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Mercury		.002	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Nickel		.572	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Selenium		.344	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Silver	<	.006	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Thallium		.001	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_HM	1145	Zinc		.987	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_IC50	1145	Microtox		10.2	%Sample
15-MAY-01	TUESDAY	COMP_AUTO_MBAS	1145	Methylene Blue Active Substances		7.1	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
15-MAY-01	TUESDAY	COMP_AUTO_NH3	1145	Ammonia as (N)		30.4	mg/L
15-MAY-01	TUESDAY	COMP_AUTO_SOLID	1145	Total Suspended Solids		154	mg/L
15-MAY-01	TUESDAY	GRAB	1150	Specific Conductance		3800	umhos/cm
15-MAY-01	TUESDAY	GRAB	1150	pH		8.2	pH
15-MAY-01	TUESDAY	GRAB_OG	1150	Hexane Extraction Method		42	mg/L
15-MAY-01	TUESDAY	GRAB_OG	1150	SGT-HEM-Non Polar Material	<	5	mg/L
15-MAY-01	TUESDAY	GRAB_PEST	1150	Chlorpyrifos	<	.05	ug/L
15-MAY-01	TUESDAY	GRAB_PEST	1150	Demeton-O	<	.09	ug/L
15-MAY-01	TUESDAY	GRAB_PEST	1150	Demeton-S	<	.05	ug/L
15-MAY-01	TUESDAY	GRAB_PEST	1150	Diazinon	<	.07	ug/L
15-MAY-01	TUESDAY	GRAB_PEST	1150	Guthion	<	.21	ug/L
15-MAY-01	TUESDAY	GRAB_PEST	1150	Malathion	<	.04	ug/L
15-MAY-01	TUESDAY	GRAB_PEST	1150	Parathion	<	.03	ug/L
22-MAY-01	TUESDAY	1_Hr_COMP	1150	Specific Conductance		3900	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	1150	pH		7.4	pH
22-MAY-01	TUESDAY	1_Hr_COMP	1450	Specific Conductance		5700	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	1450	pH		7.6	pH
22-MAY-01	TUESDAY	1_Hr_COMP	1550	Specific Conductance		4900	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	1550	pH		7.5	pH
22-MAY-01	TUESDAY	1_Hr_COMP	1650	Specific Conductance		3900	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	1650	pH		7.8	pH
22-MAY-01	TUESDAY	1_Hr_COMP	1850	Specific Conductance		4100	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	1850	pH		7.9	pH
22-MAY-01	TUESDAY	1_Hr_COMP	1950	Specific Conductance		3600	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	1950	pH		7.9	pH
22-MAY-01	TUESDAY	1_Hr_COMP	2050	Specific Conductance		3100	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	2050	pH		8	pH
22-MAY-01	TUESDAY	1_Hr_COMP	2150	Specific Conductance		3100	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	2150	pH		8	pH
22-MAY-01	TUESDAY	1_Hr_COMP	2250	Specific Conductance		3100	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	2250	pH		8.1	pH
22-MAY-01	TUESDAY	1_Hr_COMP	2350	Specific Conductance		2800	umhos/cm
22-MAY-01	TUESDAY	1_Hr_COMP	2350	pH		8	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	50	Specific Conductance		2900	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	50	pH		8	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	150	Specific Conductance		2700	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	150	pH		7.9	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	250	Specific Conductance		3000	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	250	pH		7.9	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	350	Specific Conductance		3500	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	350	pH		7.9	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	450	Specific Conductance		3900	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	450	pH		7.9	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	550	Specific Conductance		2100	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	550	pH		7.9	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	650	Specific Conductance		2400	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	650	pH		8.1	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	750	Specific Conductance		3200	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	750	pH		8	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	850	Specific Conductance		5900	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	850	pH		8.7	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	950	Specific Conductance		6000	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	950	pH		8.8	pH
23-MAY-01	WEDNESDAY	1_Hr_COMP	1050	Specific Conductance		5600	umhos/cm
23-MAY-01	WEDNESDAY	1_Hr_COMP	1050	pH		8.7	pH
23-MAY-01	WEDNESDAY	COMP_AUTO_BOD	1215	Biochemical Oxygen Demand (BOD)		215	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_CN	1215	Total Cyanide	<	.02	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_COD	1215	Chemical Oxygen Demand		549	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Aluminum		1.97	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Antimony		.051	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Arsenic		.009	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Barium		.126	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Cadmium	<	.009	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Chromium		1.04	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Copper		.95	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Lead		.814	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Manganese		.098	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Mercury		.006	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Nickel		.945	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Selenium		.022	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Silver	<	.006	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Thallium		.001	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_HM	1215	Zinc		1.34	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_IC50	1215	Microtox		24.5	%Sample
23-MAY-01	WEDNESDAY	COMP_AUTO_MBAS	1215	Methylene Blue Active Substances		6	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_NH3	1215	Ammonia as (N)		29.6	mg/L
23-MAY-01	WEDNESDAY	COMP_AUTO_SOLID	1215	Total Suspended Solids		194	mg/L
23-MAY-01	WEDNESDAY	COMP_CONDUCT	1215	Specific Conductance		3500	umhos/cm
23-MAY-01	WEDNESDAY	COMP_PH	1215	pH		8.1	pH

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
23-MAY-01	WEDNESDAY	GRAB	1220	Specific Conductance		7300	umhos/cm
23-MAY-01	WEDNESDAY	GRAB	1220	pH		8.9	pH
23-MAY-01	WEDNESDAY	GRAB_OG	1220	Hexane Extraction Method		43	mg/L
23-MAY-01	WEDNESDAY	GRAB_OG	1220	SGT-HEM-Non Polar Material	<	5	mg/L
23-MAY-01	WEDNESDAY	GRAB_PEST	1220	Chlorpyrifos		.094	ug/L
23-MAY-01	WEDNESDAY	GRAB_PEST	1220	Demeton-O	<	.09	ug/L
23-MAY-01	WEDNESDAY	GRAB_PEST	1220	Demeton-S	<	.05	ug/L
23-MAY-01	WEDNESDAY	GRAB_PEST	1220	Diazinon	<	.07	ug/L
23-MAY-01	WEDNESDAY	GRAB_PEST	1220	Guthion	<	.21	ug/L
23-MAY-01	WEDNESDAY	GRAB_PEST	1220	Malathion	<	.04	ug/L
23-MAY-01	WEDNESDAY	GRAB_PEST	1220	Parathion	<	.03	ug/L
30-MAY-01	WEDNESDAY	1_Hr_COMP	1240	Specific Conductance		3300	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	1240	pH		7.8	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	1340	Specific Conductance		4300	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	1340	pH		8.1	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	1440	Specific Conductance		3800	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	1440	pH		7.9	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	1540	Specific Conductance		4000	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	1540	pH		7.1	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	1640	Specific Conductance		3300	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	1640	pH		7.9	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	1740	Specific Conductance		3500	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	1740	pH		8.2	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	1840	Specific Conductance		3500	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	1840	pH		8	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	1940	Specific Conductance		3000	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	1940	pH		7.5	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	2040	Specific Conductance		3600	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	2040	pH		6.8	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	2140	Specific Conductance		3000	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	2140	pH		7.1	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	2240	Specific Conductance		2700	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	2240	pH		7.5	pH
30-MAY-01	WEDNESDAY	1_Hr_COMP	2340	Specific Conductance		2600	umhos/cm
30-MAY-01	WEDNESDAY	1_Hr_COMP	2340	pH		7.8	pH
31-MAY-01	THURSDAY	1_Hr_COMP	40	Specific Conductance		3200	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	40	pH		7.8	pH
31-MAY-01	THURSDAY	1_Hr_COMP	140	Specific Conductance		2500	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	140	pH		7.8	pH
31-MAY-01	THURSDAY	1_Hr_COMP	240	Specific Conductance		3700	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	240	pH		8.1	pH
31-MAY-01	THURSDAY	1_Hr_COMP	340	Specific Conductance		2800	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	340	pH		7.9	pH
31-MAY-01	THURSDAY	1_Hr_COMP	440	Specific Conductance		3400	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	440	pH		7.7	pH
31-MAY-01	THURSDAY	1_Hr_COMP	540	Specific Conductance		3100	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	540	pH		7.8	pH
31-MAY-01	THURSDAY	1_Hr_COMP	640	Specific Conductance		2300	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	640	pH		7.9	pH
31-MAY-01	THURSDAY	1_Hr_COMP	740	Specific Conductance		2900	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	740	pH		9	pH
31-MAY-01	THURSDAY	1_Hr_COMP	840	Specific Conductance		7200	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	840	pH		8.8	pH
31-MAY-01	THURSDAY	1_Hr_COMP	940	Specific Conductance		7400	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	940	pH		8.7	pH
31-MAY-01	THURSDAY	1_Hr_COMP	1040	Specific Conductance		6600	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	1040	pH		8.6	pH
31-MAY-01	THURSDAY	1_Hr_COMP	1140	Specific Conductance		4300	umhos/cm
31-MAY-01	THURSDAY	1_Hr_COMP	1140	pH		8.3	pH
31-MAY-01	THURSDAY	COMP_AUTO_BOD	1230	Biochemical Oxygen Demand (BOD)		254	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_CN	1230	Cyanide (Amenable to chlorination)	<	.02	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_CN	1230	Total Cyanide		.03	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_COD	1230	Chemical Oxygen Demand		564	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Aluminum		1.09	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Antimony		.06	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Arsenic		.009	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Barium		.25	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Cadmium		.01	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Chromium		1.33	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Copper		1.03	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Lead		.888	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Manganese		.099	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Mercury		.002	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Nickel		.914	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Selenium		.014	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Silver	<	.006	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Thallium	<	.001	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_HM	1230	Zinc		1.84	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_IC50	1230	Microtox		31.4	%Sample

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
31-MAY-01	THURSDAY	COMP_AUTO_MBAS	1230	Methylene Blue Active Substances		4.9	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_NH3	1230	Ammonia as (N)		36.8	mg/L
31-MAY-01	THURSDAY	COMP_AUTO_SOLID	1230	Total Suspended Solids		172	mg/L
31-MAY-01	THURSDAY	COMP_CONDUCT	1230	Specific Conductance		3500	umhos/cm
31-MAY-01	THURSDAY	COMP_PH	1230	pH		8	pH
31-MAY-01	THURSDAY	GRAB	1235	Specific Conductance		3500	umhos/cm
31-MAY-01	THURSDAY	GRAB	1235	pH		8	pH
31-MAY-01	THURSDAY	GRAB_OG	1235	Hexane Extraction Method		50.1	mg/L
31-MAY-01	THURSDAY	GRAB_OG	1235	SGT-HEM-Non Polar Material		13.2	mg/L
31-MAY-01	THURSDAY	GRAB_PEST	1235	Chlorpyrifos	<	.05	ug/L
31-MAY-01	THURSDAY	GRAB_PEST	1235	Demeton-O	<	.09	ug/L
31-MAY-01	THURSDAY	GRAB_PEST	1235	Demeton-S	<	.05	ug/L
31-MAY-01	THURSDAY	GRAB_PEST	1235	Diazinon		.15	ug/L
31-MAY-01	THURSDAY	GRAB_PEST	1235	Guthion	<	.21	ug/L
31-MAY-01	THURSDAY	GRAB_PEST	1235	Malathion	<	.04	ug/L
31-MAY-01	THURSDAY	GRAB_PEST	1235	Parathion	<	.03	ug/L
07-JUN-01	THURSDAY	1_Hr_COMP	1240	Specific Conductance		2600	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	1240	pH		6.7	pH
07-JUN-01	THURSDAY	1_Hr_COMP	1340	Specific Conductance		3600	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	1340	pH		6.8	pH
07-JUN-01	THURSDAY	1_Hr_COMP	1440	Specific Conductance		3300	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	1440	pH		7.4	pH
07-JUN-01	THURSDAY	1_Hr_COMP	1540	Specific Conductance		3300	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	1540	pH		7.4	pH
07-JUN-01	THURSDAY	1_Hr_COMP	1640	Specific Conductance		2900	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	1640	pH		7.1	pH
07-JUN-01	THURSDAY	1_Hr_COMP	1740	Specific Conductance		3300	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	1740	pH		7.4	pH
07-JUN-01	THURSDAY	1_Hr_COMP	1840	Specific Conductance		3600	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	1840	pH		7.8	pH
07-JUN-01	THURSDAY	1_Hr_COMP	1940	Specific Conductance		4000	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	1940	pH		7.8	pH
07-JUN-01	THURSDAY	1_Hr_COMP	2040	Specific Conductance		3800	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	2040	pH		7.8	pH
07-JUN-01	THURSDAY	1_Hr_COMP	2140	Specific Conductance		4100	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	2140	pH		7.9	pH
07-JUN-01	THURSDAY	1_Hr_COMP	2240	Specific Conductance		3200	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	2240	pH		8	pH
07-JUN-01	THURSDAY	1_Hr_COMP	2340	Specific Conductance		3200	umhos/cm
07-JUN-01	THURSDAY	1_Hr_COMP	2340	pH		7.8	pH
08-JUN-01	FRIDAY	1_Hr_COMP	40	Specific Conductance		3500	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	40	pH		7.8	pH
08-JUN-01	FRIDAY	1_Hr_COMP	240	Specific Conductance		3100	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	240	pH		7.8	pH
08-JUN-01	FRIDAY	1_Hr_COMP	340	Specific Conductance		3200	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	340	pH		7.9	pH
08-JUN-01	FRIDAY	1_Hr_COMP	440	Specific Conductance		3300	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	440	pH		7.8	pH
08-JUN-01	FRIDAY	1_Hr_COMP	540	Specific Conductance		2000	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	540	pH		7.7	pH
08-JUN-01	FRIDAY	1_Hr_COMP	640	Specific Conductance		1700	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	640	pH		7.7	pH
08-JUN-01	FRIDAY	1_Hr_COMP	740	Specific Conductance		2300	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	740	pH		8.1	pH
08-JUN-01	FRIDAY	1_Hr_COMP	840	Specific Conductance		2800	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	840	pH		7.8	pH
08-JUN-01	FRIDAY	1_Hr_COMP	940	Specific Conductance		2600	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	940	pH		7.9	pH
08-JUN-01	FRIDAY	1_Hr_COMP	1040	Specific Conductance		2900	umhos/cm
08-JUN-01	FRIDAY	1_Hr_COMP	1040	pH		8	pH
08-JUN-01	FRIDAY	1_Hr_COMP	1140	Specific Conductance		2200	umhos7cm
08-JUN-01	FRIDAY	1_Hr_COMP	1140	pH		8.1	pH
08-JUN-01	FRIDAY	COMP_AUTO_BOD	1230	Biochemical Oxygen Demand (BOD)		209	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_CN	1230	Total Cyanide	<	.02	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_COD	1230	Chemical Oxygen Demand		572	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Aluminum		1.25	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Antimony	<	.015	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Arsenic	<	.003	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Barium	<	.006	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Beryllium	<	.006	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Cadmium		.033	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Chromium		.531	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Copper		.732	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Lead		.825	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Manganese		.095	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Mercury		.002	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Nickel		1.42	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Selenium		.003	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Silver	<	.006	mg/L

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Thallium		.001	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_HM	1230	Zinc		.997	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_IC50	1230	Microtox	>	45	%Sample
08-JUN-01	FRIDAY	COMP_AUTO_NH3	1230	Ammonia as (N)		34.3	mg/L
08-JUN-01	FRIDAY	COMP_AUTO_SOLID	1230	Total Suspended Solids		190	mg/L
08-JUN-01	FRIDAY	COMP_CONDUCT	1230	Specific Conductance		3100	umhos/cm
08-JUN-01	FRIDAY	COMP_PH	1230	pH		7.7	pH
08-JUN-01	FRIDAY	GRAB	1235	Specific Conductance		4200	umhos/cm
08-JUN-01	FRIDAY	GRAB	1235	pH		8.3	pH
08-JUN-01	FRIDAY	GRAB_BNA	1235	1,2,4-trichlorobenzene	<	11.1	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	1,2-diphenylhydrazine	<	8.45	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2,4,6-trichlorophenol	<	8.87	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2,4-dimethylphenol	<	11	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2,4-dinitrophenol	<	8.98	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2,4-dinitrotoluene	<	6	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2,4_dichlorophenol	<	9.32	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2,6-dinitrotoluene	<	6.97	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2-chloronaphthalene	<	7.64	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2-chlorophenol	<	5	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	2-nitrophenol	<	9.22	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	3,3-dichlorobenzidine	<	9.99	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	4-bromophenyl phenyl ether	<	6.04	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	4-chloro-3-methylphenol	<	7.16	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	4-chlorophenyl phenyl ether	<	4.99	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	4-nitrophenol	<	4.9	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Acenaphthene	<	5.45	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Acenaphthylene	<	8.34	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Anthracene	<	7.16	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Benzidine	<	6.17	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Benzo(A)anthracene	<	5.2	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Benzo(A)pyrene	<	7.69	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Benzo(G,H,I)perylene	<	5.22	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Benzo(K)fluoranthene	<	7.9	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Benzo(b)fluoroanthene	<	6.98	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Bis-(2-ethylhexyl) phthalate		29.4	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Butyl benzyl phthalate	<	7.53	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Chrysene	<	4.04	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Di-n-Butyl phthalate		8.28	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Di-n-Octyl phthalate	<	9.17	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Dibenzo (A,H) Anthracene	<	7.66	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Diethyl Phthalate	<	4.66	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Dimethyl Phthalate	<	4.64	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Fluoranthene	<	4.68	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Fluorene	<	4.04	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Hexachlorobenzene	<	6.89	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Hexachlorobutadiene	<	9.17	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Hexachlorocyclopentadiene	<	8.87	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Hexachloroethane	<	5.27	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Isophorone		23.6	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	N-nitrosodi-n-propylamine	<	8.67	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	N-nitrosodimethylamine	<	5.4	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	N-nitrosodiphenylamine	<	5.01	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Naphthalene	<	7.47	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Nitrobenzene	<	7.92	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Pentachlorophenol	<	2.73	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Phenanthrene	<	4.76	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Phenol		8.02	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	Pyrene	<	4.86	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	bis(2-chloroethoxy)methane	<	10.4	ug/L
08-JUN-01	FRIDAY	GRAB_BNA	1235	bis(2-chloroethyl) ether	<	6.41	ug/L
08-JUN-01	FRIDAY	GRAB_OG	1235	Hexane Extraction Method		49.3	mg/L
08-JUN-01	FRIDAY	GRAB_OG	1235	SGT-HEM-Non Polar Material		9.8	mg/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Aldrin	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Alpha Endosulfan	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	BHC, Alpha	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	BHC, Beta	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	BHC, Delta	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	BHC, Gamma (Lindane)	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Beta Endosulfan	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Chlordane	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Chlorpyrifos	<	.05	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Demeton-O	<	.09	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Demeton-S	<	.05	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Diazinon	<	.07	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Dieldrin	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Endosulfan Sulfate	<	.1	ug/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
08-JUN-01	FRIDAY	GRAB_PEST	1235	Endrin	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Endrin aldehyde	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Guthion	<	.21	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Heptachlor	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Heptachlor epoxide	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Malathion	<	.04	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	PCB 1016	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	PCB 1221	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	PCB 1232	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	PCB 1242	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	PCB 1248	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	PCB 1254	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	PCB 1260	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	PCB-1262	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Parathion	<	.03	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	Toxaphene	<	.5	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	p,p-DDD	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	p,p-DDE	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_PEST	1235	p,p-DDT	<	.1	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,1,1-trichloroethane	<	1.03	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,1,2,2-tetrachloroethane	<	.91	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,1,2-trichloroethane	<	.82	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,1-dichloroethane	<	.36	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,1-dichloroethene	<	.59	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,2-dichlorobenzene	<	1.14	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,2-dichloroethane	<	.61	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,2-dichloropropane	<	.83	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,3-dichlorobenzene	<	.92	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	1,4-dichlorobenzene		9.31	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	2-chloroethylvinyl ether	<	3.03	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Benzene	<	.92	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Bromodichloromethane		6.85	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Bromoform	<	.9	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Bromomethane	<	.85	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Carbon tetrachloride	<	1.1	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Chlorobenzene	<	1.08	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Chloroethane	<	1.29	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Chloroform		123	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Chloromethane	<	.47	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Dibromochloromethane		5.31	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Ethylbenzene		7.22	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Methylene chloride	<	.69	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Tetrachloroethene	<	1.25	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Toluene		18.4	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Trichloroethene	<	1.13	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Trichlorofluoromethane	<	.82	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	Vinyl chloride	<	.25	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	cis-1,3-dichloropropene	<	.62	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	trans-1,2-dichloroethene	<	1	ug/L
08-JUN-01	FRIDAY	GRAB_VOC	1235	trans-1,3-dichloropropene	<	.67	ug/L
16-JUN-01	SATURDAY	GRAB_BOD	1125	Biochemical Oxygen Demand (BOD)		160	mg/L
16-JUN-01	SATURDAY	GRAB_CN	1125	Cyanide (Amenable to chlorination)	<	.02	mg/L
16-JUN-01	SATURDAY	GRAB_CN	1125	Total Cyanide		.0714	mg/L
16-JUN-01	SATURDAY	GRAB_COD	1125	Chemical Oxygen Demand		723	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Aluminum		2.44	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Antimony		.153	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Arsenic		.012	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Barium		.104	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Beryllium	<	.006	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Cadmium	<	.009	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Chromium		3.74	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Copper		4.56	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Lead		.404	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Manganese		.205	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Mercury		.004	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Nickel		17.4	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Selenium		.01	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Silver	<	.006	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Thallium		.001	mg/L
16-JUN-01	SATURDAY	GRAB_HM	1125	Zinc		4.71	mg/L
16-JUN-01	SATURDAY	GRAB_IC50	1125	Microtox		4.17	%Sample
16-JUN-01	SATURDAY	GRAB_MBAS	1125	Methylene Blue Active Substances		6.9	mg/L
16-JUN-01	SATURDAY	GRAB_NH3	1125	Ammonia as (N)		21.4	mg/L
16-JUN-01	SATURDAY	GRAB_SOLID	1125	Total Suspended Solids		196	mg/L
16-JUN-01	SATURDAY	GRAB	1125	Specific Conductance		4000	umhos/cm
16-JUN-01	SATURDAY	GRAB	1125	pH		6.6	pH
16-JUN-01	SATURDAY	GRAB_PEST	1125	Chlorpyrifos	<	.05	ug/L
16-JUN-01	SATURDAY	GRAB_PEST	1125	Demeton-O	<	.09	ug/L
16-JUN-01	SATURDAY	GRAB_PEST	1125	Demeton-S	<	.05	ug/L

DATE	DAY OF WEEK	SAMPLE TYPE	TIME	ANALYTE	Q	VALUE	UNITS
16-JUN-01	SATURDAY	GRAB_PEST	1125	Diazinon	<	.07	ug/L
16-JUN-01	SATURDAY	GRAB_PEST	1125	Guthion	<	.21	ug/L
16-JUN-01	SATURDAY	GRAB_PEST	1125	Malathion	<	.04	ug/L
16-JUN-01	SATURDAY	GRAB_PEST	1125	Parathion	<	.03	ug/L
24-JUN-01	SUNDAY	GRAB_BOD	1200	Biochemical Oxygen Demand (BOD)		166	mg/L
24-JUN-01	SUNDAY	GRAB_CN	1200	Cyanide (Amenable to chlorination)	<	.02	mg/L
24-JUN-01	SUNDAY	GRAB_CN	1200	Total Cyanide	<	.02	mg/L
24-JUN-01	SUNDAY	GRAB_COD	1200	Chemical Oxygen Demand		618	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Aluminum		.38	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Antimony	<	.015	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Arsenic	<	.003	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Barium	<	.006	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Beryllium	<	.006	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Cadmium	<	.009	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Chromium		.599	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Copper		.253	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Lead		.174	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Manganese		.039	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Mercury	<	.002	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Nickel		.545	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Selenium	<	.003	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Silver	<	.006	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Thallium	<	.001	mg/L
24-JUN-01	SUNDAY	GRAB_HM	1200	Zinc	<	.006	mg/L
24-JUN-01	SUNDAY	GRAB_IC50	1200	Microtox		36.8	%Sample
24-JUN-01	SUNDAY	GRAB_MBAS	1200	Methylene Blue Active Substances		3.2	mg/L
24-JUN-01	SUNDAY	GRAB_NH3	1200	Ammonia as (N)		10.4	mg/L
24-JUN-01	SUNDAY	GRAB_SOLID	1200	Total Suspended Solids		124	mg/L
24-JUN-01	SUNDAY	GRAB	1200	Specific Conductance		1800	umhos/cm
24-JUN-01	SUNDAY	GRAB	1200	pH		7.6	pH
24-JUN-01	SUNDAY	GRAB_OG	1200	Hexane Extraction Method		20.1	mg/L
24-JUN-01	SUNDAY	GRAB_OG	1200	SGT-HEM-Non Polar Material	<	5	mg/L
24-JUN-01	SUNDAY	GRAB_PEST	1200	Chlorpyrifos	<	.05	ug/L
24-JUN-01	SUNDAY	GRAB_PEST	1200	Demeton-O	<	.09	ug/L
24-JUN-01	SUNDAY	GRAB_PEST	1200	Demeton-S	<	.05	ug/L
24-JUN-01	SUNDAY	GRAB_PEST	1200	Diazinon	<	.07	ug/L
24-JUN-01	SUNDAY	GRAB_PEST	1200	Guthion	<	.21	ug/L
24-JUN-01	SUNDAY	GRAB_PEST	1200	Malathion	<	.04	ug/L
24-JUN-01	SUNDAY	GRAB_PEST	1200	Parathion	<	.03	ug/L
02-JUL-01	MONDAY	COMP_AUTO_BOD	1125	Biochemical Oxygen Demand (BOD)		318	mg/L
02-JUL-01	MONDAY	COMP_AUTO_CN	1125	Cyanide (Amenable to chlorination)	<	.02	mg/L
02-JUL-01	MONDAY	COMP_AUTO_CN	1125	Total Cyanide		.029	mg/L
02-JUL-01	MONDAY	COMP_AUTO_COD	1125	Chemical Oxygen Demand		924	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Aluminum		2.06	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Antimony	<	.015	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Arsenic		.008	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Barium		.155	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Beryllium	<	.006	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Cadmium	<	.009	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Chromium		.674	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Copper		1.45	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Lead		.388	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Manganese		.131	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Mercury	<	.002	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Nickel		.498	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Selenium		.005	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Silver	<	.006	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Thallium	<	.001	mg/L
02-JUL-01	MONDAY	COMP_AUTO_HM	1125	Zinc		.978	mg/L
02-JUL-01	MONDAY	COMP_AUTO_MBAS	1125	Methylene Blue Active Substances		6.2	mg/L
02-JUL-01	MONDAY	COMP_AUTO_NH3	1125	Ammonia as (N)		28.2	mg/L
02-JUL-01	MONDAY	COMP_AUTO_SOLID	1125	Total Suspended Solids		342	mg/L
02-JUL-01	MONDAY	GRAB	1130	Specific Conductance		2300	umhos/cm
02-JUL-01	MONDAY	GRAB	1130	pH		7.5	pH
02-JUL-01	MONDAY	GRAB_OG	1130	Hexane Extraction Method		56.4	mg/L
02-JUL-01	MONDAY	GRAB_OG	1130	SGT-HEM-Non Polar Material		11.5	mg/L
02-JUL-01	MONDAY	GRAB_PEST	1130	Chlorpyrifos		.38	ug/L
02-JUL-01	MONDAY	GRAB_PEST	1130	Demeton-O	<	.09	ug/L
02-JUL-01	MONDAY	GRAB_PEST	1130	Demeton-S	<	.05	ug/L
02-JUL-01	MONDAY	GRAB_PEST	1130	Diazinon		.13	ug/L
02-JUL-01	MONDAY	GRAB_PEST	1130	Guthion	<	.21	ug/L
02-JUL-01	MONDAY	GRAB_PEST	1130	Malathion	<	.04	ug/L
02-JUL-01	MONDAY	GRAB_PEST	1130	Parathion	<	.03	ug/L
09-JUL-01	MONDAY	1_Hr_COMP	1126	Specific Conductance		3000	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1126	pH		7.7	pH
09-JUL-01	MONDAY	1_Hr_COMP	1226	Specific Conductance		3000	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1226	pH		7.8	pH
09-JUL-01	MONDAY	1_Hr_COMP	1326	Specific Conductance		3500	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1326	pH		7.9	pH

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-JUL-01	MONDAY	1_Hr_COMP	1426	Specific Conductance		3500	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1426	pH		7	pH
09-JUL-01	MONDAY	1_Hr_COMP	1526	Specific Conductance		4400	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1526	pH		6.1	pH
09-JUL-01	MONDAY	1_Hr_COMP	1626	Specific Conductance		4800	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1626	pH		6.4	pH
09-JUL-01	MONDAY	1_Hr_COMP	1726	Specific Conductance		2900	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1726	pH		7.5	pH
09-JUL-01	MONDAY	1_Hr_COMP	1826	Specific Conductance		2400	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1826	pH		7.6	pH
09-JUL-01	MONDAY	1_Hr_COMP	1926	Specific Conductance		4900	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	1926	pH		7.5	pH
09-JUL-01	MONDAY	1_Hr_COMP	2026	Specific Conductance		2900	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	2026	pH		7.5	pH
09-JUL-01	MONDAY	1_Hr_COMP	2126	Specific Conductance		2800	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	2126	pH		7.5	pH
09-JUL-01	MONDAY	1_Hr_COMP	2226	Specific Conductance		3300	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	2226	pH		7.6	pH
09-JUL-01	MONDAY	1_Hr_COMP	2326	Specific Conductance		3100	umhos/cm
09-JUL-01	MONDAY	1_Hr_COMP	2326	pH		7.7	pH
10-JUL-01	TUESDAY	1_Hr_COMP	26	Specific Conductance		3500	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	26	pH		7.7	pH
10-JUL-01	TUESDAY	1_Hr_COMP	126	Specific Conductance		4300	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	126	pH		7.8	pH
10-JUL-01	TUESDAY	1_Hr_COMP	226	Specific Conductance		3800	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	226	pH		7.8	pH
10-JUL-01	TUESDAY	1_Hr_COMP	326	Specific Conductance		2900	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	326	pH		7.9	pH
10-JUL-01	TUESDAY	1_Hr_COMP	426	Specific Conductance		2800	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	426	pH		7.8	pH
10-JUL-01	TUESDAY	1_Hr_COMP	526	Specific Conductance		3500	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	526	pH		7.8	pH
10-JUL-01	TUESDAY	1_Hr_COMP	626	Specific Conductance		3500	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	626	pH		7.7	pH
10-JUL-01	TUESDAY	1_Hr_COMP	726	Specific Conductance		3600	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	726	pH		7.7	pH
10-JUL-01	TUESDAY	1_Hr_COMP	826	Specific Conductance		6300	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	826	pH		8	pH
10-JUL-01	TUESDAY	1_Hr_COMP	926	Specific Conductance		5300	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	926	pH		8	pH
10-JUL-01	TUESDAY	1_Hr_COMP	1026	Specific Conductance		3700	umhos/cm
10-JUL-01	TUESDAY	1_Hr_COMP	1026	pH		7.8	pH
10-JUL-01	TUESDAY	COMP_AUTO_BOD	1225	Biochemical Oxygen Demand (BOD)		192	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_CN	1225	Cyanide (Amenable to chlorination)		.098	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_CN	1225	Total Cyanide		.19	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_COD	1225	Chemical Oxygen Demand		508	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Aluminum		.715	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Antimony		.032	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Arsenic		.013	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Barium		.086	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Beryllium	<	.006	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Cadmium	<	.009	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Chromium		.443	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Copper		1.19	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Lead		.586	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Manganese		.081	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Mercury	<	.002	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Nickel		3.98	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Selenium		.008	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Silver	<	.006	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Thallium	<	.001	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_HM	1225	Zinc		.351	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_MBAS	1225	Methylene Blue Active Substances		4.5	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_NH3	1225	Ammonia as (N)		27.2	mg/L
10-JUL-01	TUESDAY	COMP_AUTO_SOLID	1225	Total Suspended Solids		158	mg/L
10-JUL-01	TUESDAY	COMP_CONDUCT	1225	Specific Conductance		3300	umhos/cm
10-JUL-01	TUESDAY	COMP_PH	1225	pH		7.4	pH
10-JUL-01	TUESDAY	GRAB	1230	Specific Conductance		2800	umhos/cm
10-JUL-01	TUESDAY	GRAB	1230	pH		7.9	pH
10-JUL-01	TUESDAY	GRAB_BNA	1230	1,2,4-trichlorobenzene	<	11.1	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	1,2-diphenylhydrazine	<	8.45	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2,4,6-trichlorophenol	<	8.87	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2,4-dimethylphenol	<	11	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2,4-dinitrophenol	<	8.98	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2,4-dinitrotoluene	<	6	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2,4_dichlorophenol	<	9.32	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2,6-dinitrotoluene	<	6.97	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2-chloronaphthalene	<	7.64	ug/L

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUL-01	TUESDAY	GRAB_BNA	1230	2-chlorophenol	<	5	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	2-nitrophenol	<	9.22	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	3,3-dichlorobenzidine	<	9.99	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	4-bromophenyl phenyl ether	<	6.04	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	4-chloro-3-methylphenol	<	7.16	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	4-chlorophenyl phenyl ether	<	4.99	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	4-nitrophenol	<	4.9	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Acenaphthene	<	5.45	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Acenaphthylene	<	8.34	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Anthracene	<	7.16	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Benzidine	<	6.17	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Benzo(A)anthracene	<	5.2	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Benzo(A)pyrene	<	7.69	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Benzo(G,H,I)perylene	<	5.22	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Benzo(K)fluoranthene	<	7.9	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Benzo(b)fluoroanthene	<	6.98	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Bis-(2-ethylhexyl) phthalate		9.36	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Butyl benzyl phthalate	<	7.53	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Chrysene	<	4.04	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Di-n-Butyl phthalate		7.01	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Di-n-Octyl phthalate	<	9.17	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Dibenzo (A,H) Anthracene	<	7.66	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Diethyl Phthalate	<	4.66	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Dimethyl Phthalate	<	4.64	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Fluoranthene	<	4.68	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Fluorene	<	4.04	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Hexachlorobenzene	<	6.89	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Hexachlorobutadiene	<	9.17	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Hexachlorocyclopentadiene	<	8.87	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Hexachloroethane	<	5.27	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Isophorone	<	6	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	N-nitrosodi-n-propylamine	<	8.67	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	N-nitrosodimethylamine	<	5.4	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	N-nitrosodiphenylamine	<	5.01	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Naphthalene	<	7.47	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Nitrobenzene	<	7.92	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Pentachlorophenol	<	2.73	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Phenanthrene	<	4.76	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Phenol		35.8	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	Pyrene	<	4.86	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	bis(2-chloroethoxy)methane	<	10.4	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1230	bis(2-chloroethyl) ether	<	6.41	ug/L
10-JUL-01	TUESDAY	GRAB_OG	1230	Hexane Extraction Method		42	mg/L
10-JUL-01	TUESDAY	GRAB_OG	1230	SGT-HEM-Non Polar Material		10.5	mg/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Aldrin	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Alpha Endosulfan	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	BHC, Alpha	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	BHC, Beta	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	BHC, Delta	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	BHC, Gamma (Lindane)	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Beta Endosulfan	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Chlordane	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Chlorpyrifos		.13	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Demeton-O	<	.09	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Demeton-S	<	.05	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Diazinon	<	.07	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Dieldrin	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Endosulfan Sulfate	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Endrin	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Endrin aldehyde	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Guthion	<	.21	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Heptachlor	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Heptachlor epoxide	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Malathion	<	.04	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	PCB 1016	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	PCB 1221	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	PCB 1232	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	PCB 1242	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	PCB 1248	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	PCB 1254	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	PCB 1260	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	PCB-1262	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Parathion	<	.03	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	Toxaphene	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	p,p-DDD	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	p,p-DDE	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1230	p,p-DDT	<	.1	ug/L

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,1,1-trichloroethane	<	1.03	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,1,2,2-tetrachloroethane	<	.91	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,1,2-trichloroethane	<	.82	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,1-dichloroethane	<	.36	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,1-dichloroethene	<	.59	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,2-dichlorobenzene	<	1.14	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,2-dichloroethane	<	.61	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,2-dichloropropane	<	.83	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,3-dichlorobenzene	<	.92	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	1,4-dichlorobenzene		6.96	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	2-chloroethylvinyl ether	<	3.03	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Benzene	<	.92	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Bromodichloromethane		5.59	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Bromoform	<	.9	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Bromomethane	<	.85	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Carbon tetrachloride	<	1.1	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Chlorobenzene	<	1.08	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Chloroethane	<	1.29	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Chloroform		10.4	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Chloromethane	<	.47	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Dibromochloromethane	<	1.17	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Ethylbenzene	<	.85	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Methylene chloride	<	.69	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Tetrachloroethene	<	1.25	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Toluene		23.9	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Trichloroethene		5.76	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Trichlorofluoromethane	<	.82	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	Vinyl chloride	<	.25	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	cis-1,3-dichloropropene	<	.62	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	trans-1,2-dichloroethene	<	1	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1230	trans-1,3-dichloropropene	<	.67	ug/L
17-JUL-01	TUESDAY	1_Hr_COMP	1350	Specific Conductance		3000	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1350	pH		7.5	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1450	Specific Conductance		3200	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1450	pH		7.2	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1550	Specific Conductance		3100	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1550	pH		6.6	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1650	Specific Conductance		3400	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1650	pH		6.7	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1750	Specific Conductance		3100	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1750	pH		7.2	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1850	Specific Conductance		2800	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1850	pH		7.4	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1950	Specific Conductance		2500	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1950	pH		7.4	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2050	Specific Conductance		2300	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2050	pH		7.4	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2150	Specific Conductance		2500	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2150	pH		7.7	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2250	Specific Conductance		2400	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2250	pH		7.7	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2350	Specific Conductance		2700	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2350	pH		7.7	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	50	Specific Conductance		2400	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	50	pH		6.5	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	150	Specific Conductance		3600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	150	pH		4.1	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	250	Specific Conductance		3600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	250	pH		4.2	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	350	Specific Conductance		2600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	350	pH		5.7	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	450	Specific Conductance		2600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	450	pH		6.3	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	550	Specific Conductance		2600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	550	pH		6.7	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	650	Specific Conductance		2500	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	650	pH		6.7	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	750	Specific Conductance		2400	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	750	pH		6.9	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	850	Specific Conductance		2700	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	850	pH		7.3	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	950	Specific Conductance		3300	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	950	pH		7.6	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	1050	Specific Conductance		3400	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	1050	pH		8	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	1150	Specific Conductance		3600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	1150	pH		8.1	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	1250	Specific Conductance		4000	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	1250	pH		8	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
18-JUL-01	WEDNESDAY	COMP_AUTO_CN	1340	Cyanide (Amenable to chlorination)		1.43	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_CN	1340	Total Cyanide		1.79	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_COD	1340	Chemical Oxygen Demand		623	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Aluminum		8.43	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Antimony	<	.015	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Arsenic	<	.003	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Barium		.076	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Beryllium	<	.006	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Cadmium	<	.009	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Chromium		.831	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Copper		2.73	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Lead		.182	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Manganese		.089	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Mercury	<	.002	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Nickel		2.71	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Selenium		.011	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Silver	<	.006	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Thallium		.001	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1340	Zinc		.838	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_MBAS	1340	Methylene Blue Active Substances		5.5	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_NH3	1340	Ammonia as (N)		34.8	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_SOLID	1340	Total Suspended Solids		198	mg/L
18-JUL-01	WEDNESDAY	COMP_CONDUCT	1340	Specific Conductance		2900	umhos/cm
18-JUL-01	WEDNESDAY	COMP_PH	1340	pH		7.1	pH
18-JUL-01	WEDNESDAY	GRAB	1345	Specific Conductance		4300	umhos/cm
18-JUL-01	WEDNESDAY	GRAB	1345	pH		8.4	pH
18-JUL-01	WEDNESDAY	GRAB_OG	1345	Hexane Extraction Method		46	mg/L
18-JUL-01	WEDNESDAY	GRAB_OG	1345	SGT-HEM-Non Polar Material	<	5	mg/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1345	Chlorpyrifos	<	.05	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1345	Demeton-O	<	.09	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1345	Demeton-S	<	.05	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1345	Diazinon		.13	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1345	Guthion	<	.21	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1345	Malathion	<	.04	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1345	Parathion	<	.03	ug/L
25-JUL-01	WEDNESDAY	1_Hr_COMP	1215	Specific Conductance		3200	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1215	pH		7.5	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1315	Specific Conductance		2800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1315	pH		7.6	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1415	Specific Conductance		2800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1415	pH		7.6	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1515	Specific Conductance		2800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1515	pH		7.6	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1615	Specific Conductance		2800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1615	pH		6.7	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1715	Specific Conductance		3300	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1715	pH		6.9	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1815	Specific Conductance		3400	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1815	pH		7.6	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1915	Specific Conductance		2600	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1915	pH		7.6	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2015	Specific Conductance		2500	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2015	pH		7.6	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2115	Specific Conductance		2500	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2115	pH		7.1	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2215	Specific Conductance		3700	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2215	pH		6.8	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2315	Specific Conductance		2800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2315	pH		7	pH
26-JUL-01	THURSDAY	1_Hr_COMP	15	Specific Conductance		2500	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	15	pH		7.1	pH
26-JUL-01	THURSDAY	1_Hr_COMP	115	Specific Conductance		2800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	115	pH		7.6	pH
26-JUL-01	THURSDAY	1_Hr_COMP	215	Specific Conductance		2300	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	215	pH		6.9	pH
26-JUL-01	THURSDAY	1_Hr_COMP	315	Specific Conductance		3300	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	315	pH		6.6	pH
26-JUL-01	THURSDAY	1_Hr_COMP	415	Specific Conductance		2900	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	415	pH		6.7	pH
26-JUL-01	THURSDAY	1_Hr_COMP	515	Specific Conductance		2600	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	515	pH		6.9	pH
26-JUL-01	THURSDAY	1_Hr_COMP	615	Specific Conductance		1900	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	615	pH		7.3	pH
26-JUL-01	THURSDAY	1_Hr_COMP	715	Specific Conductance		2800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	715	pH		7.5	pH
26-JUL-01	THURSDAY	1_Hr_COMP	815	Specific Conductance		2400	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	815	pH		7.6	pH
26-JUL-01	THURSDAY	1_Hr_COMP	915	Specific Conductance		2800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	915	pH		7.5	pH

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
26-JUL-01	THURSDAY	1_Hr_COMP	1015	Specific Conductance		2800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	1015	pH		7.5	pH
26-JUL-01	THURSDAY	1_Hr_COMP	1115	Specific Conductance		3000	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	1115	pH		7.5	pH
26-JUL-01	THURSDAY	COMP_AUTO_BOD	1220	Biochemical Oxygen Demand (BOD)		231	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_CN	1220	Total Cyanide	<	.02	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_COD	1220	Chemical Oxygen Demand		695	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Aluminum		5.55	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Antimony	<	.015	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Arsenic		.006	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Barium		.062	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Beryllium	<	.006	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Cadmium	<	.009	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Chromium		1.12	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Copper		.913	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Lead		.213	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Manganese		.089	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Mercury	<	.002	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Nickel		1.48	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Selenium		.081	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Silver	<	.006	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Thallium		.001	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1220	Zinc		1.06	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_MBAS	1220	Methylene Blue Active Substances		5.7	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_NH3	1220	Ammonia as (N)		41.2	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_SOLID	1220	Total Suspended Solids		198	mg/L
26-JUL-01	THURSDAY	COMP_CONDUCT	1220	Specific Conductance		2800	umhos/cm
26-JUL-01	THURSDAY	COMP_PH	1220	pH		7.3	pH
26-JUL-01	THURSDAY	GRAB	1225	Specific Conductance		2900	umhos/cm
26-JUL-01	THURSDAY	GRAB	1225	pH		7.8	pH
26-JUL-01	THURSDAY	GRAB_OG	1225	Hexane Extraction Method		49.9	mg/L
26-JUL-01	THURSDAY	GRAB_OG	1225	SGT-HEM-Non Polar Material		5.2	mg/L
26-JUL-01	THURSDAY	GRAB_PEST	1225	Chlorpyrifos		.065	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1225	Demeton-O	<	.09	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1225	Demeton-S	<	.05	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1225	Diazinon		.17	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1225	Guthion	<	.21	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1225	Malathion	<	.04	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1225	Parathion	<	.03	ug/L
02-AUG-01	THURSDAY	1_Hr_COMP	1025	Specific Conductance		3800	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1025	pH		7	pH
02-AUG-01	THURSDAY	1_Hr_COMP	1125	Specific Conductance		3500	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1125	pH		7.1	pH
02-AUG-01	THURSDAY	1_Hr_COMP	1225	Specific Conductance		3500	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1225	pH		7.1	pH
02-AUG-01	THURSDAY	1_Hr_COMP	1325	Specific Conductance		3200	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1325	pH		7.5	pH
02-AUG-01	THURSDAY	1_Hr_COMP	1525	Specific Conductance		4000	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1525	pH		7.2	pH
02-AUG-01	THURSDAY	1_Hr_COMP	1625	Specific Conductance		3600	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1625	pH		6.7	pH
02-AUG-01	THURSDAY	1_Hr_COMP	1725	Specific Conductance		2900	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1725	pH		6.6	pH
02-AUG-01	THURSDAY	1_Hr_COMP	1825	Specific Conductance		3300	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1825	pH		7	pH
02-AUG-01	THURSDAY	1_Hr_COMP	1925	Specific Conductance		2900	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	1925	pH		7.4	pH
02-AUG-01	THURSDAY	1_Hr_COMP	2025	Specific Conductance		2700	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	2025	pH		7.4	pH
02-AUG-01	THURSDAY	1_Hr_COMP	2125	Specific Conductance		2700	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	2125	pH		7	pH
02-AUG-01	THURSDAY	1_Hr_COMP	2225	Specific Conductance		2500	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	2225	pH		7.3	pH
02-AUG-01	THURSDAY	1_Hr_COMP	2325	Specific Conductance		2400	umhos/cm
02-AUG-01	THURSDAY	1_Hr_COMP	2325	pH		7.4	pH
03-AUG-01	FRIDAY	1_Hr_COMP	25	Specific Conductance		2300	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	25	pH		7.4	pH
03-AUG-01	FRIDAY	1_Hr_COMP	125	Specific Conductance		2300	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	125	pH		7.6	pH
03-AUG-01	FRIDAY	1_Hr_COMP	225	Specific Conductance		2200	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	225	pH		7.9	pH
03-AUG-01	FRIDAY	1_Hr_COMP	325	Specific Conductance		3600	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	325	pH		7.7	pH
03-AUG-01	FRIDAY	1_Hr_COMP	425	Specific Conductance		2200	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	425	pH		7.7	pH
03-AUG-01	FRIDAY	1_Hr_COMP	525	Specific Conductance		2900	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	525	pH		7.7	pH
03-AUG-01	FRIDAY	1_Hr_COMP	625	Specific Conductance		2000	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	625	pH		7.7	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
03-AUG-01	FRIDAY	1_Hr_COMP	725	Specific Conductance		2100	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	725	pH		7.6	pH
03-AUG-01	FRIDAY	1_Hr_COMP	825	Specific Conductance		3200	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	825	pH		6.7	pH
03-AUG-01	FRIDAY	1_Hr_COMP	925	Specific Conductance		3500	umhos/cm
03-AUG-01	FRIDAY	1_Hr_COMP	925	pH		4.1	pH
03-AUG-01	FRIDAY	COMP_AUTO_CN	1135	Total Cyanide	<	.02	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Aluminum		2.7	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Antimony	<	.015	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Arsenic		.008	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Barium		.109	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Beryllium	<	.006	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Cadmium	<	.009	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Chromium		.937	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Copper		.733	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Lead		.562	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Manganese		.08	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Mercury	<	.002	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Nickel		1.05	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Selenium		.049	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Silver	<	.006	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Thallium		.001	mg/L
03-AUG-01	FRIDAY	COMP_AUTO_HM	1135	Zinc		1.03	mg/L
03-AUG-01	FRIDAY	COMP_CONDUCT	1135	Specific Conductance		2800	umhos/cm
03-AUG-01	FRIDAY	COMP_PH	1135	pH		7	pH
10-AUG-01	FRIDAY	1_Hr_COMP	1215	Specific Conductance		2700	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	1215	pH		6.6	pH
10-AUG-01	FRIDAY	1_Hr_COMP	1315	Specific Conductance		2700	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	1315	pH		7.3	pH
10-AUG-01	FRIDAY	1_Hr_COMP	1415	Specific Conductance		3100	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	1415	pH		8.1	pH
10-AUG-01	FRIDAY	1_Hr_COMP	1515	Specific Conductance		3100	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	1515	pH		8.2	pH
10-AUG-01	FRIDAY	1_Hr_COMP	1615	Specific Conductance		2800	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	1615	pH		8.2	pH
10-AUG-01	FRIDAY	1_Hr_COMP	1715	Specific Conductance		3200	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	1715	pH		8	pH
10-AUG-01	FRIDAY	1_Hr_COMP	1815	Specific Conductance		2600	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	1815	pH		7.9	pH
10-AUG-01	FRIDAY	1_Hr_COMP	1915	Specific Conductance		2400	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	1915	pH		7.8	pH
10-AUG-01	FRIDAY	1_Hr_COMP	2015	Specific Conductance		2600	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	2015	pH		7.8	pH
10-AUG-01	FRIDAY	1_Hr_COMP	2115	Specific Conductance		2900	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	2115	pH		8	pH
10-AUG-01	FRIDAY	1_Hr_COMP	2215	Specific Conductance		2300	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	2215	pH		7.5	pH
10-AUG-01	FRIDAY	1_Hr_COMP	2315	Specific Conductance		2700	umhos/cm
10-AUG-01	FRIDAY	1_Hr_COMP	2315	pH		7.4	pH
11-AUG-01	SATURDAY	1_Hr_COMP	15	Specific Conductance		2700	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	15	pH		7.8	pH
11-AUG-01	SATURDAY	1_Hr_COMP	115	Specific Conductance		2400	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	115	pH		7.9	pH
11-AUG-01	SATURDAY	1_Hr_COMP	215	Specific Conductance		2800	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	215	pH		7.7	pH
11-AUG-01	SATURDAY	1_Hr_COMP	315	Specific Conductance		3000	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	315	pH		7.9	pH
11-AUG-01	SATURDAY	1_Hr_COMP	415	Specific Conductance		2500	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	415	pH		8.1	pH
11-AUG-01	SATURDAY	1_Hr_COMP	515	Specific Conductance		3400	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	515	pH		8	pH
11-AUG-01	SATURDAY	1_Hr_COMP	615	Specific Conductance		2500	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	615	pH		7.9	pH
11-AUG-01	SATURDAY	1_Hr_COMP	715	Specific Conductance		2500	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	715	pH		7.8	pH
11-AUG-01	SATURDAY	1_Hr_COMP	815	Specific Conductance		3100	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	815	pH		8.1	pH
11-AUG-01	SATURDAY	1_Hr_COMP	915	Specific Conductance		4800	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	915	pH		7.8	pH
11-AUG-01	SATURDAY	1_Hr_COMP	1015	Specific Conductance		4000	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	1015	pH		7.6	pH
11-AUG-01	SATURDAY	1_Hr_COMP	1115	Specific Conductance		3900	umhos/cm
11-AUG-01	SATURDAY	1_Hr_COMP	1115	pH		7.9	pH
11-AUG-01	SATURDAY	COMP_AUTO_CN	1220	Total Cyanide	<	.02	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Aluminum		1.32	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Antimony	<	.015	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Arsenic		.01	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Barium		.073	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Beryllium	<	.006	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Cadmium	<	.009	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Chromium		.935	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Copper		1.51	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Lead		.354	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Manganese		.123	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Mercury	<	.002	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Nickel		.806	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Selenium		.051	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Silver	<	.006	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Thallium		.001	mg/L
11-AUG-01	SATURDAY	COMP_AUTO_HM	1220	Zinc		.577	mg/L
11-AUG-01	SATURDAY	COMP_CONDUCT	1220	Specific Conductance		3000	umhos/cm
11-AUG-01	SATURDAY	COMP_PH	1220	pH		7.9	pH