DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
20-APR-01	FRIDAY	1_Hr_COMP	1145	Specific Conductance		2100	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1145	pH		6.8	pH
20-APR-01	FRIDAY	1_Hr_COMP	1245	Specific Conductance		2200	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1245	pH		8.4	pH
20-APR-01	FRIDAY	1_Hr_COMP	1345	Specific Conductance		2100	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1345	pH		7.1	pH
20-APR-01	FRIDAY	1_Hr_COMP	1445	Specific Conductance		2100	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1445	pH		7.4	pH
20-APR-01	FRIDAY	1_Hr_COMP	1545	Specific Conductance		1700	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1545	pH		7.7	pH
20-APR-01	FRIDAY	1_Hr_COMP	1645	Specific Conductance		1900	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1645	pH		7.9	pH
20-APR-01	FRIDAY	1_Hr_COMP	1745	Specific Conductance		1700	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1745	pH		7.7	pH
20-APR-01	FRIDAY	1_Hr_COMP	1845	Specific Conductance		1900	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1845	pH		7.4	pH
20-APR-01	FRIDAY	1_Hr_COMP	1945	Specific Conductance		1800	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	1945	pH		7.8	pH
20-APR-01	FRIDAY	1_Hr_COMP	2045	Specific Conductance		2300	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	2045	pH		8.1	pH
20-APR-01	FRIDAY	1_Hr_COMP	2145	Specific Conductance		2400	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	2145	pH		7.1	pH
20-APR-01	FRIDAY	1_Hr_COMP	2245	Specific Conductance		2300	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	2245	pH		7.6	pH
20-APR-01	FRIDAY	1_Hr_COMP	2345	Specific Conductance		2200	umhos/cm
20-APR-01	FRIDAY	1_Hr_COMP	2345	pH		7.4	pH
21-APR-01	SATURDAY	1_Hr_COMP	45	Specific Conductance		2100	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	45	pH		8.2	pH
21-APR-01	SATURDAY	1_Hr_COMP	145	Specific Conductance		2100	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	145	pH		8.2	pH
21-APR-01	SATURDAY	1_Hr_COMP	245	Specific Conductance		1900	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	245	pH		8.1	pH
21-APR-01	SATURDAY	1_Hr_COMP	345	Specific Conductance		1900	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	345	pH		7.9	pH
21-APR-01	SATURDAY	1_Hr_COMP	745	Specific Conductance		1700	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	745	pH		7.5	pH
21-APR-01	SATURDAY	1_Hr_COMP	845	Specific Conductance		1600	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	845	pH		7.6	pH
21-APR-01	SATURDAY	1_Hr_COMP	945	Specific Conductance		1600	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	945	pH		7.6	pH
21-APR-01	SATURDAY	1_Hr_COMP	1045	Specific Conductance		1500	umhos/cm
21-APR-01	SATURDAY	1_Hr_COMP	1045	pH		7.6	pH
21-APR-01	SATURDAY	COMP_AUTO_BOD	1210	Biochemical Oxygen Demand (BOD)		167	mg/L
21-APR-01	SATURDAY	COMP_AUTO_CN	1210	Total Cyanide	<	.02	mg/L
21-APR-01	SATURDAY	COMP_AUTO_COD	1210	Chemical Oxygen Demand		440	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Aluminum		.85	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Antimony	<	.015	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Arsenic	<	.003	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Barium		.101	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Beryllium	<	.006	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Cadmium		.02	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Chromium	<	.009	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Copper		.147	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Lead		.056	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Manganese		.035	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Mercury	<	.002	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Nickel		.099	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Selenium		.003	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Silver	<	.006	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Thallium	<	.001	mg/L
21-APR-01	SATURDAY	COMP_AUTO_HM	1210	Zinc		.207	mg/L
21-APR-01	SATURDAY	COMP_AUTO_IC50	1210	Microtox	>	45	%Sample
21-APR-01	SATURDAY	COMP_AUTO_MBAS	1210	Methylene Blue Active Substances		4	mg/L
21-APR-01	SATURDAY	COMP_AUTO_NH3	1210	Ammonia as (N)		45.2	mg/L
21-APR-01	SATURDAY	COMP_AUTO_SOLID	1210	Total Suspended Solids		188	mg/L
21-APR-01	SATURDAY	COMP_CONDUCT	1210	Specific Conductance		1900	umhos/cm
21-APR-01	SATURDAY	COMP_PH	1210	pH		7.7	pH
21-APR-01	SATURDAY	GRAB	1215	Specific Conductance		1600	umhos/cm
21-APR-01	SATURDAY	GRAB	1215	pH		7.5	pH
21-APR-01	SATURDAY	GRAB_OG	1215	Hexane Extraction Method		25.6	mg/L
21-APR-01	SATURDAY	GRAB_OG	1215	SGT-HEM-Non Polar Material	<	5	mg/L
21-APR-01	SATURDAY	GRAB_PEST	1215	Chlorpyrifos	<	.05	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1215	Demeton-O	<	.09	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1215	Demeton-S	<	.05	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1215	Diazinon	<	.07	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1215	Guthion	<	.21	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1215	Malathion	<	.04	ug/L
21-APR-01	SATURDAY	GRAB_PEST	1215	Parathion	<	.03	ug/L

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
23-JUN-01	SATURDAY	1_Hr_COMP	1100	Specific Conductance		3000	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1100	pH		7.5	pH
23-JUN-01	SATURDAY	1_Hr_COMP	1200	Specific Conductance		2600	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1200	pH		7.6	pH
23-JUN-01	SATURDAY	1_Hr_COMP	1300	Specific Conductance		2400	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1300	pH		7.5	pH
23-JUN-01	SATURDAY	1_Hr_COMP	1400	Specific Conductance		2700	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1400	pH		8.2	pH
23-JUN-01	SATURDAY	1_Hr_COMP	1500	Specific Conductance		2700	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1500	pH		8.2	pH
23-JUN-01	SATURDAY	1_Hr_COMP	1600	Specific Conductance		5000	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1600	pH		7.5	pH
23-JUN-01	SATURDAY	1_Hr_COMP	1700	Specific Conductance		3400	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1700	pH		8.3	pH
23-JUN-01	SATURDAY	1_Hr_COMP	1800	Specific Conductance		3200	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1800	pH		8	pH
23-JUN-01	SATURDAY	1_Hr_COMP	1900	Specific Conductance		3000	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	1900	pH		7.9	pH
23-JUN-01	SATURDAY	1_Hr_COMP	2000	Specific Conductance		3200	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	2000	pH		7.8	pH
23-JUN-01	SATURDAY	1_Hr_COMP	2100	Specific Conductance		3000	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	2100	pH		7.7	pH
23-JUN-01	SATURDAY	1_Hr_COMP	2200	Specific Conductance		2600	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	2200	pH		7.4	pH
23-JUN-01	SATURDAY	1_Hr_COMP	2300	Specific Conductance		2400	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	2300	pH		7.4	pH
23-JUN-01	SATURDAY	1_Hr_COMP	2400	Specific Conductance		2300	umhos/cm
23-JUN-01	SATURDAY	1_Hr_COMP	2400	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	100	Specific Conductance		2100	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	100	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	200	Specific Conductance		2300	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	200	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	300	Specific Conductance		2300	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	300	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	400	Specific Conductance		2300	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	400	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	500	Specific Conductance		2300	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	500	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	600	Specific Conductance		2300	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	600	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	700	Specific Conductance		2000	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	700	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	800	Specific Conductance		2000	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	800	pH		7.4	pH
24-JUN-01	SUNDAY	1_Hr_COMP	900	Specific Conductance		2100	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	900	pH		7.5	pH
24-JUN-01	SUNDAY	1_Hr_COMP	1000	Specific Conductance		2000	umhos/cm
24-JUN-01	SUNDAY	1_Hr_COMP	1000	pH		7.4	pH
24-JUN-01	SUNDAY	COMP_AUTO_BOD	1125	Biochemical Oxygen Demand (BOD)		234	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_CN	1125	Cyanide (Amenable to chlorination)	<	.02	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_CN	1125	Total Cyanide		.029	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_COD	1125	Chemical Oxygen Demand		524	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Aluminum		.172	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Antimony	<	.015	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Arsenic	<	.003	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Barium	<	.006	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Beryllium	<	.006	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Cadmium	<	.009	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Chromium		.013	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Copper		.095	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Lead	<	.02	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Manganese		.04	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Mercury	<	.002	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Nickel		.027	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Selenium	<	.003	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Silver	<	.006	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Thallium	<	.001	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_HM	1125	Zinc		.617	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_IC50	1125	Microtox		13.7	%Sample
24-JUN-01	SUNDAY	COMP_AUTO_MBAS	1125	Methylene Blue Active Substances		6.1	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_NH3	1125	Ammonia as (N)		52	mg/L
24-JUN-01	SUNDAY	COMP_AUTO_SOLID	1125	Total Suspended Solids		46	mg/L
24-JUN-01	SUNDAY	COMP_CONDUCT	1125	Specific Conductance		2600	umhos/cm
24-JUN-01	SUNDAY	COMP_PH	1125	pH		7.8	pH
24-JUN-01	SUNDAY	GRAB	1135	Specific Conductance		2200	umhos/cm
24-JUN-01	SUNDAY	GRAB	1135	pH		7.6	pH
24-JUN-01	SUNDAY	GRAB_OG	1135	Hexane Extraction Method		82.8	mg/L
24-JUN-01	SUNDAY	GRAB_OG	1135	SGT-HEM-Non Polar Material		7.2	mg/L
17-JUL-01	TUESDAY	1_Hr_COMP	1325	Specific Conductance		2200	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1325	pH		7.9	pH

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-JUL-01	TUESDAY	1_Hr_COMP	1425	Specific Conductance		2000	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1425	pH		7.6	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1525	Specific Conductance		4100	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1525	pH		7.6	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1625	Specific Conductance		5800	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1625	pH		7.9	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1725	Specific Conductance		2000	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1725	pH		8.2	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1825	Specific Conductance		2200	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1825	pH		8.1	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1925	Specific Conductance		3300	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1925	pH		7.8	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2025	Specific Conductance		2300	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2025	pH		8	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2125	Specific Conductance		2400	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2125	pH		8.1	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2225	Specific Conductance		2100	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2225	pH		8.1	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2325	Specific Conductance		1900	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2325	pH		8.1	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	25	Specific Conductance		1700	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	25	pH		8	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	125	Specific Conductance		2900	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	125	pH		7.9	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	225	Specific Conductance		6900	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	225	pH		7.7	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	325	Specific Conductance		2600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	325	pH		8	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	425	Specific Conductance		1700	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	425	pH		7.9	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	525	Specific Conductance		1900	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	525	pH		7.7	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	625	Specific Conductance		2000	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	625	pH		7.4	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	725	Specific Conductance		2200	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	725	pH		7.5	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	825	Specific Conductance		1900	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	825	pH		7.5	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	925	Specific Conductance		2300	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	925	pH		7.7	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	1025	Specific Conductance		2000	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	1025	pH		7.6	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	1125	Specific Conductance		4700	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	1125	pH		7.5	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	1225	Specific Conductance		6600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	1225	pH		7.7	pH
18-JUL-01	WEDNESDAY	COMP_AUTO_CN	1240	Total Cyanide	<	.02	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_COD	1240	Chemical Oxygen Demand		525	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Aluminum		.277	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Antimony	<	.015	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Arsenic	<	.003	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Barium		.146	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Beryllium	<	.006	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Cadmium	<	.009	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Chromium		.012	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Copper		.076	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Lead	<	.02	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Manganese		.03	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Mercury	<	.002	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Nickel	<	.012	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Selenium		.003	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Silver	<	.006	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Thallium	<	.001	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1240	Zinc		3.69	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_MBAS	1240	Methylene Blue Active Substances		9.1	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_NH3	1240	Ammonia as (N)		28.9	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_SOLID	1240	Total Suspended Solids		170	mg/L
18-JUL-01	WEDNESDAY	COMP_CONDUCT	1240	Specific Conductance		2900	umhos/cm
18-JUL-01	WEDNESDAY	COMP_PH	1240	pH		7.9	pH
18-JUL-01	WEDNESDAY	GRAB	1245	Specific Conductance		2800	umhos/cm
18-JUL-01	WEDNESDAY	GRAB	1245	pH		7.7	pH
18-JUL-01	WEDNESDAY	GRAB_OG	1245	Hexane Extraction Method		11.8	mg/L
18-JUL-01	WEDNESDAY	GRAB_OG	1245	SGT-HEM-Non Polar Material	<	5	mg/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1245	Chlorpyrifos	<	.05	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1245	Demeton-O	<	.09	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1245	Demeton-S	<	.05	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1245	Diazinon	<	.07	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1245	Guthion	<	.21	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1245	Malathion	<	.04	ug/L
18-JUL-01	WEDNESDAY	GRAB_PEST	1245	Parathion	<	.03	ug/L

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
25-JUL-01	WEDNESDAY	1_Hr_COMP	1150	Specific Conductance		2300	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1150	pH		7.5	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1250	Specific Conductance		2200	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1250	pH		7.5	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1350	Specific Conductance		2400	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1350	pH		7.8	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1450	Specific Conductance		2300	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1450	pH		7.7	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1550	Specific Conductance		2200	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1550	pH		7.6	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1750	Specific Conductance		5800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1750	pH		7.7	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1850	Specific Conductance		2400	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1850	pH		8	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1950	Specific Conductance		2500	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1950	pH		7.9	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2050	Specific Conductance		2200	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2050	pH		7.9	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2150	Specific Conductance		2600	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2150	pH		7.7	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2250	Specific Conductance		1800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2250	pH		8.1	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2350	Specific Conductance		2500	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2350	pH		7.8	pH
26-JUL-01	THURSDAY	1_Hr_COMP	50	Specific Conductance		6200	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	50	pH		7.9	pH
26-JUL-01	THURSDAY	1_Hr_COMP	150	Specific Conductance		2000	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	150	pH		8.2	pH
26-JUL-01	THURSDAY	1_Hr_COMP	250	Specific Conductance		7700	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	250	pH		7.9	pH
26-JUL-01	THURSDAY	1_Hr_COMP	350	Specific Conductance		2600	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	350	pH		8	pH
26-JUL-01	THURSDAY	1_Hr_COMP	450	Specific Conductance		2600	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	450	pH		7.8	pH
26-JUL-01	THURSDAY	1_Hr_COMP	550	Specific Conductance		2200	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	550	pH		7.8	pH
26-JUL-01	THURSDAY	1_Hr_COMP	650	Specific Conductance		1800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	650	pH		7.8	pH
26-JUL-01	THURSDAY	1_Hr_COMP	750	Specific Conductance		2800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	750	pH		7.5	pH
26-JUL-01	THURSDAY	1_Hr_COMP	850	Specific Conductance		2400	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	850	pH		7.7	pH
26-JUL-01	THURSDAY	1_Hr_COMP	950	Specific Conductance		2200	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	950	pH		7.7	pH
26-JUL-01	THURSDAY	1_Hr_COMP	1050	Specific Conductance		2200	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	1050	pH		7.7	pH
26-JUL-01	THURSDAY	COMP_AUTO_BOD	1155	Biochemical Oxygen Demand (BOD)		219	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_CN	1155	Total Cyanide	<	.02	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_COD	1155	Chemical Oxygen Demand		706	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Aluminum		1.08	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Antimony	<	.015	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Arsenic		.003	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Barium		.033	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Beryllium	<	.006	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Cadmium	<	.009	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Chromium		.04	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Copper		.113	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Lead		.048	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Manganese		.045	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Mercury	<	.002	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Nickel		.017	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Selenium		.004	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Silver	<	.006	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Thallium	<	.001	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1155	Zinc		6.7	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_MBAS	1155	Methylene Blue Active Substances		10.9	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_NH3	1155	Ammonia as (N)		35.8	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_SOLID	1155	Total Suspended Solids		742	mg/L
26-JUL-01	THURSDAY	COMP_CONDUCT	1155	Specific Conductance		2900	umhos/cm
26-JUL-01	THURSDAY	COMP_PH	1155	pH		7.8	pH
26-JUL-01	THURSDAY	GRAB	1200	Specific Conductance		3400	umhos/cm
26-JUL-01	THURSDAY	GRAB	1200	pH		8	pH
26-JUL-01	THURSDAY	GRAB_OG	1200	Hexane Extraction Method		18.3	mg/L
26-JUL-01	THURSDAY	GRAB_OG	1200	SGT-HEM-Non Polar Material	<	5	mg/L
26-JUL-01	THURSDAY	GRAB_PEST	1200	Chlorpyrifos	<	.05	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1200	Demeton-O	<	.09	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1200	Demeton-S	<	.05	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1200	Diazinon	<	.07	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1200	Guthion	<	.21	ug/L
26-JUL-01	THURSDAY	GRAB_PEST	1200	Malathion	<	.04	ug/L

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
26-JUL-01	THURSDAY	GRAB_PEST	1200	Parathion	<	.03	ug/L

City of Tijuana
Site 22

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-JUL-01	TUESDAY	1_Hr_COMP	1225	Specific Conductance		4200	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1225	pH		6.8	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1325	Specific Conductance		4200	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1325	pH		6.8	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1425	Specific Conductance		4100	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1425	pH		6.5	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1525	Specific Conductance		4200	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1525	pH		6.8	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1625	Specific Conductance		4000	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1625	pH		7.1	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1725	Specific Conductance		2700	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1725	pH		7.6	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1825	Specific Conductance		2800	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1825	pH		7.9	pH
17-JUL-01	TUESDAY	1_Hr_COMP	1925	Specific Conductance		2400	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	1925	pH		7.8	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2025	Specific Conductance		2100	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2025	pH		7.7	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2125	Specific Conductance		1900	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2125	pH		7.5	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2225	Specific Conductance		1800	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2225	pH		7.5	pH
17-JUL-01	TUESDAY	1_Hr_COMP	2325	Specific Conductance		1700	umhos/cm
17-JUL-01	TUESDAY	1_Hr_COMP	2325	pH		7.5	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	25	Specific Conductance		1800	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	25	pH		7.6	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	125	Specific Conductance		1800	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	125	pH		7.5	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	225	Specific Conductance		1900	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	225	pH		7.4	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	325	Specific Conductance		2900	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	325	pH		7.3	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	425	Specific Conductance		2300	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	425	pH		7.3	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	525	Specific Conductance		1600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	525	pH		7.2	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	625	Specific Conductance		1600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	625	pH		7.2	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	725	Specific Conductance		7000	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	725	pH		7.4	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	825	Specific Conductance		3900	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	825	pH		7.3	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	925	Specific Conductance		4600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	925	pH		7.9	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	1025	Specific Conductance		4100	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	1025	pH		7.9	pH
18-JUL-01	WEDNESDAY	1_Hr_COMP	1125	Specific Conductance		2600	umhos/cm
18-JUL-01	WEDNESDAY	1_Hr_COMP	1125	pH		7.8	pH
18-JUL-01	WEDNESDAY	COMP_AUTO_CN	1215	Total Cyanide	<	.02	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_COD	1215	Chemical Oxygen Demand		886	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Aluminum		.601	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Antimony	<	.015	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Arsenic		.003	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Barium		.123	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Beryllium	<	.006	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Cadmium	<	.009	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Chromium		.905	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Copper		.189	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Lead		.046	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Manganese		.359	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Mercury	<	.002	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Nickel		.178	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Selenium		.004	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Silver	<	.006	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Thallium	<	.001	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_HM	1215	Zinc		.274	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_MBAS	1215	Methylene Blue Active Substances		4	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_NH3	1215	Ammonia as (N)		44.8	mg/L
18-JUL-01	WEDNESDAY	COMP_AUTO_SOLID	1215	Total Suspended Solids		212	mg/L
18-JUL-01	WEDNESDAY	COMP_CONDUCT	1215	Specific Conductance		3100	umhos/cm
18-JUL-01	WEDNESDAY	COMP_PH	1215	pH		7.4	pH
18-JUL-01	WEDNESDAY	GRAB	1220	Specific Conductance		2700	umhos/cm
18-JUL-01	WEDNESDAY	GRAB	1220	pH		7.9	pH
18-JUL-01	WEDNESDAY	GRAB_OG	1220	Hexane Extraction Method		88.5	mg/L
18-JUL-01	WEDNESDAY	GRAB_OG	1220	SGT-HEM-Non Polar Material		5.4	mg/L
25-JUL-01	WEDNESDAY	1_Hr_COMP	1130	Specific Conductance		3100	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1130	pH		7.2	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1230	Specific Conductance		3600	umhos/cm

City of Tijuana
Site 22

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
25-JUL-01	WEDNESDAY	1_Hr_COMP	1230	pH		7.2	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1330	Specific Conductance		4100	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1330	pH		7.1	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1430	Specific Conductance		2800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1430	pH		7.5	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1530	Specific Conductance		2300	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1530	pH		7.2	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1630	Specific Conductance		2300	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1630	pH		7.7	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1730	Specific Conductance		2300	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1730	pH		8	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1830	Specific Conductance		2600	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1830	pH		7.8	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	1930	Specific Conductance		2500	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	1930	pH		7.8	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2030	Specific Conductance		1900	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2030	pH		7.6	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2130	Specific Conductance		1800	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2130	pH		7.5	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2230	Specific Conductance		1900	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2230	pH		7.3	pH
25-JUL-01	WEDNESDAY	1_Hr_COMP	2330	Specific Conductance		1900	umhos/cm
25-JUL-01	WEDNESDAY	1_Hr_COMP	2330	pH		7.3	pH
26-JUL-01	THURSDAY	1_Hr_COMP	30	Specific Conductance		1800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	30	pH		7.4	pH
26-JUL-01	THURSDAY	1_Hr_COMP	130	Specific Conductance		1800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	130	pH		7.4	pH
26-JUL-01	THURSDAY	1_Hr_COMP	230	Specific Conductance		4800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	230	pH		7.4	pH
26-JUL-01	THURSDAY	1_Hr_COMP	330	Specific Conductance		2800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	330	pH		7.1	pH
26-JUL-01	THURSDAY	1_Hr_COMP	430	Specific Conductance		1700	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	430	pH		7.3	pH
26-JUL-01	THURSDAY	1_Hr_COMP	530	Specific Conductance		1800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	530	pH		7.4	pH
26-JUL-01	THURSDAY	1_Hr_COMP	630	Specific Conductance		1900	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	630	pH		7.5	pH
26-JUL-01	THURSDAY	1_Hr_COMP	730	Specific Conductance		2100	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	730	pH		7.5	pH
26-JUL-01	THURSDAY	1_Hr_COMP	830	Specific Conductance		3800	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	830	pH		7.6	pH
26-JUL-01	THURSDAY	1_Hr_COMP	930	Specific Conductance		3100	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	930	pH		7.8	pH
26-JUL-01	THURSDAY	1_Hr_COMP	1030	Specific Conductance		3100	umhos/cm
26-JUL-01	THURSDAY	1_Hr_COMP	1030	pH		7.5	pH
26-JUL-01	THURSDAY	COMP_AUTO_BOD	1125	Biochemical Oxygen Demand (BOD)		212	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_CN	1125	Total Cyanide	<	.02	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_COD	1125	Chemical Oxygen Demand		576	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Aluminum		.634	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Antimony	<	.015	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Arsenic	<	.003	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Barium		.039	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Beryllium	<	.006	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Cadmium	<	.009	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Chromium		.022	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Copper		.131	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Lead		.054	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Manganese		.146	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Mercury	<	.002	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Nickel		.043	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Selenium		.004	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Silver	<	.006	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Thallium	<	.001	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_HM	1125	Zinc		.033	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_MBAS	1125	Methylene Blue Active Substances		5	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_NH3	1125	Ammonia as (N)		50.4	mg/L
26-JUL-01	THURSDAY	COMP_AUTO_SOLID	1125	Total Suspended Solids		210	mg/L
26-JUL-01	THURSDAY	COMP_CONDUCT	1125	Specific Conductance		2500	umhos/cm
26-JUL-01	THURSDAY	COMP_PH	1125	pH		7.6	pH
26-JUL-01	THURSDAY	GRAB	1130	Specific Conductance		3800	umhos/cm
26-JUL-01	THURSDAY	GRAB	1130	pH		7.8	pH

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUL-01	TUESDAY	GRAB_CN	1300	Total Cyanide	<	.02	mg/L
10-JUL-01	TUESDAY	GRAB_COD	1300	Chemical Oxygen Demand		1440	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Aluminum		.019	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Antimony	<	.015	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Arsenic		.004	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Barium		.082	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Beryllium	<	.006	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Cadmium	<	.009	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Chromium	<	.009	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Copper		.241	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Lead	<	.02	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Manganese		.031	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Mercury	<	.002	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Nickel		.032	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Selenium		.003	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Silver	<	.006	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Thallium	<	.001	mg/L
10-JUL-01	TUESDAY	GRAB_HM	1300	Zinc	<	.006	mg/L
10-JUL-01	TUESDAY	GRAB_MBAS	1300	Methylene Blue Active Substances		25.2	mg/L
10-JUL-01	TUESDAY	GRAB_NH3	1300	Ammonia as (N)		58	mg/L
10-JUL-01	TUESDAY	GRAB_SOLID	1300	Total Suspended Solids		404	mg/L
10-JUL-01	TUESDAY	GRAB	1300	Specific Conductance		2100	umhos/cm
10-JUL-01	TUESDAY	GRAB	1300	pH		8.2	pH
10-JUL-01	TUESDAY	GRAB_BNA	1300	1,2,4-trichlorobenzene	<	11.1	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	1,2-diphenylhydrazine	<	8.45	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2,4,6-trichlorophenol	<	8.87	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2,4-dimethylphenol	<	11	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2,4-dinitrophenol	<	8.98	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2,4-dinitrotoluene	<	6	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2,4_dichlorophenol	<	9.32	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2,6-dinitrotoluene	<	6.97	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2-chloronaphthalene	<	7.64	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2-chlorophenol	<	5	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	2-nitrophenol	<	9.22	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	3,3-dichlorobenzidine	<	9.99	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	4-bromophenyl phenyl ether	<	6.04	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	4-chloro-3-methylphenol	<	7.16	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	4-chlorophenyl phenyl ether	<	4.99	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	4-nitrophenol	<	4.9	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Acenaphthene	<	5.45	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Acenaphthylene	<	8.34	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Anthracene	<	7.16	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Benzidine	<	6.17	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Benzo(A)anthracene	<	5.2	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Benzo(A)pyrene	<	7.69	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Benzo(G,H,I)perylene	<	5.22	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Benzo(K)fluoranthene	<	7.9	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Benzo(b)fluoroanthene	<	6.98	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Bis-(2-ethylhexyl) phthalate	<	7.87	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Butyl benzyl phthalate	<	7.53	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Chrysene	<	4.04	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Di-n-Butyl phthalate	<	5.89	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Di-n-Octyl phthalate	<	9.17	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Dibenzo (A,H) Anthracene	<	7.66	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Diethyl Phthalate	<	4.66	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Dimethyl Phthalate	<	4.64	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Fluoranthene	<	4.68	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Fluorene	<	4.04	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Hexachlorobenzene	<	6.89	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Hexachlorobutadiene	<	9.17	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Hexachlorocyclopentadiene	<	8.87	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Hexachloroethane	<	5.27	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Isophorone	<	6	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	N-nitrosodi-n-propylamine	<	8.67	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	N-nitrosodimethylamine	<	5.4	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	N-nitrosodiphenylamine	<	5.01	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Naphthalene	<	7.47	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Nitrobenzene	<	7.92	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Pentachlorophenol	<	2.73	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Phenanthrene	<	4.76	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Phenol		24.7	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	Pyrene	<	4.86	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	bis(2-chloroethoxy)methane	<	10.4	ug/L
10-JUL-01	TUESDAY	GRAB_BNA	1300	bis(2-chloroethyl) ether	<	6.41	ug/L
10-JUL-01	TUESDAY	GRAB_OG	1300	Hexane Extraction Method		254	mg/L
10-JUL-01	TUESDAY	GRAB_OG	1300	SGT-HEM-Non Polar Material		20.8	mg/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Aldrin	<	.1	ug/L

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUL-01	TUESDAY	GRAB_PEST	1300	Alpha Endosulfan	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	BHC, Alpha	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	BHC, Beta	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	BHC, Delta	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	BHC, Gamma (Lindane)	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Beta Endosulfan	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Chlordane	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Chlorpyrifos	<	.05	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Demeton-O	<	.09	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Demeton-S	<	.05	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Diazinon	<	.07	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Dieldrin	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Endosulfan Sulfate	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Endrin	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Endrin aldehyde	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Guthion	<	.21	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Heptachlor	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Heptachlor epoxide	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Malathion	<	.04	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	PCB 1016	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	PCB 1221	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	PCB 1232	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	PCB 1242	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	PCB 1248	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	PCB 1254	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	PCB 1260	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	PCB-1262	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Parathion	<	.03	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	Toxaphene	<	.5	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	p,p-DDD	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	p,p-DDE	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_PEST	1300	p,p-DDT	<	.1	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,1,1-trichloroethane		11.1	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,1,2,2-tetrachloroethane	<	.91	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,1,2-trichloroethane	<	.82	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,1-dichloroethane	<	.36	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,1-dichloroethene	<	.59	ug/L
10-JUL-01	TUESDAY	GPAB_VOC	1300	1,2-dichlorobenzene	<	1.14	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,2-dichloroethane	<	.61	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,2-dichloropropane	<	.83	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,3-dichlorobenzene	<	.92	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	1,4-dichlorobenzene		2.73	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	2-chloroethylvinyl ether	<	3.03	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Benzene	<	.92	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Bromodichloromethane		6.64	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Bromoform	<	.9	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Bromomethane	<	.85	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Carbon tetrachloride	<	1.1	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Chlorobenzene	<	1.08	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Chloroethane	<	1.29	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Chloroform		9.69	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Chloromethane	<	.47	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Dibromochloromethane		6.49	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Ethylbenzene	<	.85	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Methylene chloride	<	.69	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Tetrachloroethene	<	1.25	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Toluene		3.52	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Trichloroethene		12.4	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Trichlorofluoromethane	<	.82	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	Vinyl chloride	<	.25	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	cis-1,3-dichloropropene	<	.62	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	trans-1,2-dichloroethene	<	1	ug/L
10-JUL-01	TUESDAY	GRAB_VOC	1300	trans-1,3-dichloropropene	<	.67	ug/L